AMENDMENTS TO CLAIMS

Please amend Claims 1, 3, 5-7, 12, 14, 16, 18, 19, 21, 23-25, 30, 32, 34, and 36-42, as indicated hereinafter.

1. (Currently Amended) A method for printing an electronic document, the method comprising:

determining that a first paper source, a second paper source, and a third paper source at a printing device each currently has media available;

selecting [[a]]the first paper source for printing a first page range of one or more pages of said electronic document;

selecting [[a]]the second paper source for printing a second page range of one or more pages of said electronic document, wherein said second paper source is a paper source different from said first paper source and wherein said second page range is a page range different from said first page range;

selecting [[a]]the third paper source for printing a third page range of one or more pages of said electronic document, wherein said third paper source is a paper source different from said first paper source and different from said second paper source and wherein said third page range is a page range different from said first page range and different from said second page range; and

transmitting, to [[a]]the printing device, information that identifies said first, second and third paper sources for printing said first, second and third page ranges of one or more pages of said electronic document.

2. (Original) The method as recited in Claim 1, further comprising the steps of:

receiving said information that identifies said first, second and third paper sources at said printing device; and

generating at said printing device a printed copy of said electronic document that includes said first, second and third page ranges; wherein said first page range is printed on media from said first paper source, said second page range is printed on media from said second paper source, and said third page range is printed on media from said third paper source.

3. (Currently Amended) A method for printing an electronic document, the method comprising:

determining that a first print characteristic and a second print characteristic are currently available for use at a printing device;

selecting [[a]] the first print characteristic for printing a first page range of one or more pages of said electronic document;

selecting [[a]] the second print characteristic for printing a second page range of one or more pages of said electronic document, wherein said second page range is a page range different from said first page range; and

transmitting, to [[a]] the printing device, information that identifies said first and second print characteristics for printing said first and second page ranges of one or more pages of said electronic document.

4. (Original) The method as recited in Claim 3, further comprising the steps of:

receiving at said printing device, said information that identifies said first and second print characteristics; and

generating at said printing device a printed copy of said electronic document that includes said first and second page ranges; wherein said first page range is printed using said first print characteristic[[s]] and said second page range is printed using said second print characteristic[[s]].

5. (Currently Amended) The method as recited in Claim 3, wherein:
the step of selecting [[a]] the first print characteristic includes the step of selecting a first ink color for printing said first page range of one or more pages of said electronic document; and
the step of selecting [[a]] the second print characteristic includes the step of selecting a second ink color for printing said first page range of one or more pages of said electronic document;
wherein said first ink color and said second ink color are distinct ink colors.

6. (Currently Amended) The method as recited in Claim 3, wherein:
the step of selecting [[a]] the first print characteristic includes the step of selecting a simplex mode for printing said first page range of one or more pages of said electronic document; and
the step of selecting [[a]] the second print characteristic includes the step of selecting a duplex mode for printing said first page range of one or more pages of said electronic document.

7. (Currently Amended) A method for printing an electronic document, the method comprising:

displaying a user interface that identifies a set of one or more media types that are currently available to a printing device for printing pages of the electronic document;

receiving input that selects a first media type from said set of one or more media types; and

transmitting, to the printing device, a set of first print information that identifies said first media type for printing one or more pages of said electronic document.

8. (Original) The method as recited in Claim 7, further comprising the steps of:

receiving said set of first print information that identifies said first media type at said printing device; and

generating at said printing device, a printed copy of one or more pages of said electronic document using said first media type.

9. (Currently Amended) The method of Claim 7, wherein:

the set of one or more media types includes a set of two or more media types that are available for printing pages of the electronic document; and

the method further comprising the steps of,

receiving input that selects a second media type from said set of two or more media types; and

the step of transmitting further includes the step of transmitting to said printing device, a set of second print information that identifies said second media type for printing one or more pages of said electronic document.

10. (Original) The method as recited in Claim 9, further comprising the steps of:

receiving said set of second print information that identifies said second media type at said printing device; and

generating at said printing device, a printed copy of one or more pages of said electronic document using said second media type.

11. (Original) The method of Claim 9, wherein the steps of transmitting said set of first and second print information includes the step of transmitting to said printing device, said set of first and second print information in a single print request.

12. (Currently Amended) A method for printing an electronic document, the method comprising:

determining that a first media type and a second media type are currently available for use at a printing device;

selecting [[a]] the first media type for printing a first page range of one or more pages of said electronic document;

selecting [[a]] the second media type for printing a second page range of one or more pages of said electronic document, wherein said second page range is a page range different from said first page range; and

transmitting, to [[a]] the printing device, information that identifies said first and second media types for printing said first and second page ranges of one or more pages of said electronic document.

13. (Original) The method as recited in Claim 12, further comprising the steps of:

receiving said information that identifies said first and second media types at said printing device; and

generating at said printing device, a printed copy of said electronic document that includes said first and second page ranges; wherein said first page range is printed on media of said first media type and said second page range is printed on media of said second media type.

14. (Currently Amended) A method for printing an electronic document, the method comprising:

transmitting to a printing device a request from a client for delivery of a set of print attributes that are currently available for printing said electronic document on said printing device;

receiving user interface data that identifies the set of print attributes that are currently available for printing said electronic document on said printing device;

receiving input that indicates a selection of one or more print attributes from said set of print attributes; and

transmitting information identifying the selection of said one or more print attributes from said client to said printing device.

15. (Original) The method as recited in Claim 14, further comprising the steps of:

receiving said information that identifies said one or more print attributes at said printing device; and

generating at said printing device, a printed copy of said electronic document based on said information identifying said selection of said one or more print attributes.

16. (Currently Amended) A method for printing an electronic document on a printing device, the method comprising:

receiving a request for delivery of a set of print attributes that are currently available for printing said electronic document on said printing device;

generating user interface data that identifies the set of print attributes that are currently available for printing said electronic document on said printing device; and

transmitting, to a client, said user interface data for displaying the set of print attributes that are currently available for printing said electronic document on said printing device.

17. (Currently Amended) The method as recited in Claim 16, further comprising the steps of:

receiving print information that identifies at least one of said set of ~~one or more~~ print attributes; and

generating at said printing device, a printed copy of one or more pages of said electronic document based on said print information.

18. (Currently Amended) The method as recited in Claim 16, further comprising the steps of:

transmitting to said printing device a request from [[a]] the client for delivery of said set of print attributes that are currently available for printing said electronic document on said printing device;

receiving user interface data at said client that identifies the set of print attributes that are currently available for printing said electronic document on said printing device; and

transmitting print information that identifies at least one of said set of ~~said one or more~~ print attributes.

19. (Currently Amended) A computer-readable medium carrying one or more sequences of instructions for printing an electronic document, wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

determining that a first paper source, a second paper source, and a third paper source at a printing device each currently has media available;

selecting [[a]] the first paper source for printing a first page range of one or more pages of said electronic document;

selecting [[a]] the second paper source for printing a second page range of one or more pages of said electronic document, wherein said second paper source is a paper source different from said first paper source and wherein said second page range is a page range different from said first page range;

selecting [[a]] the third paper source for printing a third page range of one or more pages of said electronic document, wherein said third paper source is a paper source different from said first paper source and different from said second paper source and wherein said third page range is a page range different from said first page range and different from said second page range; and

transmitting, to [[a]] the printing device, information that identifies said first, second and third paper sources for printing said first, second and third page ranges of one or more pages of said electronic document.

20. (Original) The computer-readable medium as recited in Claim 19, further comprising instructions for performing the steps of:

receiving said information that identifies said first, second and third paper sources at said printing device; and

generating at said printing device a printed copy of said electronic document that includes said first, second and third page ranges; wherein said first page range is printed on media from said first paper source, said second page range is printed on media from said second paper source, and said third page range is printed on media from said third paper source.

21. (Currently Amended) A computer-readable medium carrying one or more sequences of instructions for printing an electronic document, wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

determining that a first print characteristic and a second print characteristic are currently available for use at a printing device;

selecting [[a]] the first print characteristic for printing a first page range of one or more pages of said electronic document;

selecting [[a]] the second print characteristic for printing a second page range of one or more pages of said electronic document, wherein said second page range is a page range different from said first page range; and

transmitting, to [[a]] the printing device, information that identifies said first and second print characteristics for printing said first and second page ranges of one or more pages of said electronic document.

22. (Original) The computer-readable medium as recited in Claim 21, further comprising instructions for performing the steps of:

receiving at said printing device, said information that identifies said first and second print characteristics; and

generating at said printing device a printed copy of said electronic document that includes said first and second page ranges; wherein said first page range is printed using said first print characteristics and said second page range is printed using said second print characteristics.

23. (Currently Amended) The computer-readable medium as recited in Claim 21, wherein:

the step of selecting [[a]] the first print characteristic includes the step of selecting a first ink color for printing said first page range of one or more pages of said electronic document; and

the step of selecting [[a]] the second print characteristic includes the step of selecting a second ink color for printing said first page range of one or more pages of said electronic document;

wherein said first ink color and said second ink color are distinct ink colors.

24. (Currently Amended) The computer-readable medium as recited in Claim 21, wherein:

the step of selecting [[a]] the first print characteristic includes the step of selecting a simplex mode for printing said first page range of one or more pages of said electronic document; and

the step of selecting [[a]] the second print characteristic includes the step of selecting a duplex mode for printing said first page range of one or more pages of said electronic document.

25. (Currently Amended) A computer-readable medium carrying one or more sequences of instructions for printing an electronic document, wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

displaying a user interface that identifies a set of one or more media types that are currently available to a printing device for printing pages of the electronic document;

receiving input that selects a first media type from said set of one or more media types; and

transmitting, to the printing device, a set of first print information that identifies said first media type for printing one or more pages of said electronic document.

26. (Original) The computer-readable medium as recited in Claim 25, further comprising instructions for performing the steps of:

receiving said set of first print information that identifies said first media type at said printing device; and

generating at said printing device, a printed copy of one or more pages of said electronic document using said first media type.

27. (Currently Amended) The computer-readable medium of Claim 25, wherein:
the set of one or more media types includes a set of two or more media types that are available for printing pages of the electronic document; and
the computer-readable medium further comprising instructions for performing the steps of,
receiving input that selects a second media type from said set of two or more media types; and
the step of transmitting further includes the step of transmitting to said printing device, a set of second print information that identifies said second media type for printing one or more pages of said electronic document.

28. (Original) The computer-readable medium as recited in Claim 27, further comprising instructions for performing the steps of:
receiving said set of second print information that identifies said second media type at said printing device; and
generating at said printing device, a printed copy of one or more pages of said electronic document using said second media type.

29. (Original) The computer-readable medium of Claim 27, wherein the steps of transmitting said set of first and second print information includes the step of transmitting to said printing device, said set of first and second print information in a single print request.

30. (Currently Amended) A computer-readable medium carrying one or more sequences of instructions for printing an electronic document, wherein

execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

determining that a first media type and a second media type are currently available for use at a printing device;

selecting [[a]] the first media type for printing a first page range of one or more pages of said electronic document;

selecting [[a]] the second media type for printing a second page range of one or more pages of said electronic document, wherein said second page range is a page range different from said first page range; and

transmitting, to [[a]] the printing device, information that identifies said first and second media types for printing said first and second page ranges of one or more pages of said electronic document.

31. (Original) The computer-readable medium as recited in Claim 30, further comprising instructions for performing the steps of:

receiving said information that identifies said first and second media types at said printing device; and

generating at said printing device, a printed copy of said electronic document that includes said first and second page ranges; wherein said first page range is printed on media of said first media type and said second page range is printed on media of said second media type.

32. (Currently Amended) A computer-readable medium carrying one or more sequences of instructions for printing an electronic document, wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

transmitting to a printing device a request from a client for delivery of a set of print attributes that are currently available for printing said electronic document on said printing device;

receiving user interface data that identifies the set of print attributes that are currently available for printing said electronic document on said printing device;

receiving input that indicates a selection of one or more print attributes from said set of print attributes; and

transmitting information identifying the selection of said one or more print attributes from said client to said printing device.

33. (Original) The computer-readable medium as recited in Claim 32, further comprising instructions for performing the steps of:

receiving said information that identifies said one or more print attributes at said printing device; and

generating at said printing device, a printed copy of said electronic document based on said information identifying said selection of said one or more print attributes.

34. (Currently Amended) A computer-readable medium carrying one or more sequences of instructions for printing an electronic document on a printing device, wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

receiving a request for delivery of a set of print attributes that are currently available for printing said electronic document on said printing device;

generating user interface data that identifies the set of print attributes that are currently available for printing said electronic document on said printing device; and

transmitting, to a client, said user interface data for displaying the set of print attributes that are currently available for printing said electronic document on said printing device.

35. (Original) The computer-readable medium as recited in Claim 34, further comprising instructions for performing the steps of:

receiving print information that identifies at least one of said one or more print attributes; and

generating at said printing device, a printed copy of one or more pages of said electronic document based on said print information.

36. (Currently Amended) The computer-readable medium as recited in Claim 34, further comprising instructions for performing the steps of:

transmitting to said printing device a request from a client for delivery of said set of print attributes that are currently available for printing said electronic document on said printing device;

receiving user interface data at said client that identifies the set of print attributes that are currently available for printing said electronic document on said printing device; and

transmitting print information that identifies at least one of said set of ~~said one or more~~ print attributes.

37. (Currently Amended) A system for printing an electronic document, comprising:

one or more processors;

one or more memories coupled to the one or more processors; and

one or more sequences of instructions stored in the one or more memories,

wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform the steps of:

determining that a first paper source, a second paper source, and a third paper source at a printing device each currently has media available;

selecting [[a]] the first paper source for printing a first page range of one or more pages of said electronic document;

selecting [[a]] the second paper source for printing a second page range of one or more pages of said electronic document, wherein said second paper source is a paper source different from said first paper source and wherein said second page range is a page range different from said first page range;

selecting [[a]] the third paper source for printing a third page range of one or more pages of said electronic document, wherein said third paper source is a paper source different from said first paper source and different from said second paper source and wherein said third page range is a page range different from said first page range and different from said second page range; and

transmitting, to [[a]] the printing device, information that identifies said first, second and third paper sources for printing said

first, second and third page ranges of one or more pages of said electronic document.

38. (Currently Amended) A system for printing an electronic document, comprising:

one or more processors;

one or more memories coupled to the one or more processors; and

one or more sequences of instructions stored in the one or more memories,

wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform the steps of:

determining that a first print characteristic and a second print characteristic are currently available for use at a printing device;

selecting [[a]] the first print characteristic for printing a first page range of one or more pages of said electronic document;

selecting [[a]] the second print characteristic for printing a second page range of one or more pages of said electronic document, wherein said second page range is a page range different from said first page range; and

transmitting, to [[a]] the printing device, information that identifies said first and second print characteristics for printing said first and second page ranges of one or more pages of said electronic document.

39. (Currently Amended) A system for printing an electronic document, comprising:

one or more processors;

one or more memories coupled to the one or more processors; and

one or more sequences of instructions stored in the one or more memories,

wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform the steps of:

displaying a user interface that identifies a set of one or more media types that are currently available to a printing device for printing pages of the electronic document;

receiving input that selects a first media type from said set of one or more media types; and

transmitting, to the printing device, a set of first print information that identifies said first media type for printing one or more pages of said electronic document.

40. (Currently Amended) A system for printing an electronic document, comprising:

one or more processors;

one or more memories coupled to the one or more processors; and

one or more sequences of instructions stored in the one or more memories,

wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform the steps of:

determining that a first media type and a second media type are currently available for use at a printing device;

selecting [[a]] the first media type for printing a first page range of one or more pages of said electronic document;

selecting [[a]] the second media type for printing a second page range of one or more pages of said electronic document, wherein said second page range is a page range different from said first page range; and

transmitting, to [[a]] the printing device, information that identifies said first and second media types for printing said first and second page ranges of one or more pages of said electronic document.

41. (Currently Amended) A system for printing an electronic document, comprising:

one or more processors;

one or more memories coupled to the one or more processors; and

one or more sequences of instructions stored in the one or more memories, wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform the steps of:

transmitting to a printing device a request from a client for delivery of a set of print attributes that are currently available for printing said electronic document on said printing device;

receiving user interface data that identifies the set of print attributes that are currently available for printing said electronic document on said printing device;

receiving input that indicates a selection of one or more print attributes from said set of print attributes; and

transmitting information identifying the selection of said one or more print attributes from said client to said printing device.

42. (Currently Amended) A system for printing an electronic document, comprising:

one or more processors;

one or more memories coupled to the one or more processors; and

one or more sequences of instructions stored in the one or more memories,

wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform the steps of:

receiving a request for delivery of a set of print attributes that are currently available for printing said electronic document on said printing device;

generating user interface data that identifies the set of print attributes that are currently available for printing said electronic document on said printing device; and

transmitting, to a client, said user interface data for displaying the set of print attributes that are currently available for printing said electronic document on said printing device.